2 Wires Dual color 1515 LED strip 432 LEDs/M DC24V



Product Description:

-High density CCT color Adjustable LED strip has 432pcs 1515 LEDs
-With 4mm Width
-Cut-able every 4LEDs & 9.26mm
-All soldering Pads are very large, allowing you to easily cut and reconnect
-DC24V constant voltage operation
-Both ends have 2pin bare wires for powering
-3M tape attached on backside of FPC

Product Datasheet

Product Number	S004432UC2PZ
Operating Voltage	DC24V
Power/m	9W
SMD Type	1515
LED Qty/m	432
Cutting Length	9.26mm/4LED
Color	3000K+6500K
Luminance/m	W:720 WW:765lm
Material	FPC
Control	PWM
Beam Angle	120°
Size (mm)	5000x4mm
IP Rating	IP20/IP65
Operation Temperature	- 25 ~ 60℃

Remarks:

1.The above parameters were tested according to integrating sphere TM-30-15.

2.The output data is based on IP20 and one merter.

3.The data such as power etc, ±15% tolerance is normal.

4.IP protection process causes changes in size, CCT and luminous flux.

Outline Dimension (unit : mm/in)



Wiring diagram



IP Rating



Related products:



Power supply
XS-24V



Alum profile
0609



2 wires CCT Controller
V2-S/R7-1

Installation method:



Can be cut



Tear off the 3M adhesive as need



Distortion(Wrong)

Product packaging



Reel　　Antistatic bag

Note: The parameters are subject to change without notice!

A1.25-10-27